

NBS Specification: NyRock® Rainscreen 032

## **PRODUCT SUMMARY:**

Low lambda non-combustible stone wool insulation for use within façade systems.

## PRODUCT GENERAL DESCRIPTION:

NyRock Rainscreen Slab 032 is manufactured using patented NyRock technology for low lambda performance. In addition to thermal comfort, NyRock Rainscreen Slab provides independently-tested acoustic benefits.

## **FEATURES AND BENEFITS:**

- Low thermal conductivity of 0.032 W/mK
- BBA pending
- Non-combustible Euroclass A1
- Independently tested acoustic benefits
- Water repellent yet breathable
- Stone wool is dimensionally stable and will provide the same performance for more than 55 years after installation.\*
- Can be recycled and reprocessed, reducing landfill costs, with zero ODP and GWP.

\*FIW, Durability Project Mineral Wool (2016), "Conclusions and Outlook." Available via EURIMA (European Insulation Manufacturers Association) at https://www.eurima.org/uploads/ModuleXtender/Publications/168/2017-02-21\_EURIMA-55YearsOfUse\_Info\_Sheet\_V08\_final.pdf.

#### FIXINGS:

Refer to ROCKWOOL product literature.

## **ACOUSTIC PERFORMANCE:**

The airborne sound reduction of several typical rainscreen build-ups incorporating NyRock Rainscreen 032 was tested at the Sound Research Laboratories (SRL), with results of up to Rw 60 dB.

#### APPLICATION:

Cladding system in conjunction with steel/timber frame or concrete/masonry Masonry outer leaf in conjunction with steel/timber frame

## **PRODUCT SPECIFICATION CLAUSE**

#### **PRODUCT REFERENCE:**

**ROCKWOOL NyRock Rainscreen 032** 

## **PRODUCT PROPERTIES:**

Standard: BS EN 13162, ISO 14001

Thickness: Available from 50mm to 200mm. Some thicknesses subject to MOQ, please see current price list for availability.



Thermal conductivity: 0.032 W/mK

Fire performance: A1 to BS EN 13501-1.

Water vapour resistance: 5.9 MNs/gm

# **CONTACT DETAILS:**

**ROCKWOOL** 

Wern Tarw Road, Rhiwceiliog Pencoed, Bridgend CF35 6NY

Email: technical.solutions@rockwool.co.uk

**Telephone:** 01656 868 490 www.rockwool.com/uk