



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
Divize CSI – Centrum stavebního inženýrství
Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
Akreditované zkušební laboratoře
Authorised Body, Notified Body, Certification Body,
Accredited Test Laboratories
Pražská 16, 102 00 Praha 10



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0322/12/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings, sold under the trade mark

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162	line
FASROCK LG 1 FASROCK LG 2 (50-200mm)	0,041	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)20-TR60-WS-WL(P)-MU1	MAL5 MAL7
FASROCK G FASROCK NG	0,037	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)20-TR15-WS-WL(P)-MU1	MAL5 MAL7
STROPROCK G (50-200mm)	0,037	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)20-TR15-WS-WL(P)-MU1	MAL5 MAL7
STROPROCK G (210-250mm)	0,037	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)20-TR10-WS-WL(P)-MU1	MAL5 MAL7

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**
ul. Kwiatowa 14, 66-131 Cigacice, Poland

and produced in the manufacturing plant : **Factory Malkinia**
ul. Jana III, Sobieskiego, 07- 320 Malkinia


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13 162:2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 02. 04. 2012 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body

Notified Body 1390
Prague, 04. 03. 2020



Ing. Petr Kučera, Ph.D.
Deputy of Notified Body 1390