



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
Divize CSI – Centrum stavebního inženýrství
Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
Akreditované zkušební laboratoře
Authorised Body, Notified Body, Certification Body,
Accredited Test Laboratories
Pražská 16, 102 00 Praha 10



Notified Body 1390

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0296/11/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings, sold under the trade marks

(trade marks and type codes according to EN 13 162 are given in the annex to the certificate)

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**
ul. Kwiatowa 14
66-131 Cigacice, Poland

and produced in the : **ROCKWOOL, a.s.**
Cihelní 769, Skřečůň
735 31 Bohumín, Czech republic
(production line Boh 2)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13 162:2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 21. 04. 2011 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390
Prague, 02. 05. 2020




Ing. Petr Kučera, Ph.D.
Deputy of Notified Body 1390



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.
 Divize CSI – Centrum stavebního inženýrství
 Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,
 Akreditované zkušební laboratoře
 Authorised Body, Notified Body, Certification Body,
 Accredited Test Laboratories
 Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-CPR-0296/11/P
 The certificate covers the following products of ROCKWOOL Polska, Bohumín factory:

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
Ventirock F PLUS (d=20-79mm)	0,034	A1	MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-MU1
Ventirock PLUS (d=20-79mm)			
WENTIROCK MAX (d=20-79mm)			
WENTIROCK MAX F (d=20-79mm)	0,034	A1	MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-AW0.95-MU1
Ventirock F PLUS (d≥80mm)			
Ventirock PLUS (d≥80mm)			
WENTIROCK MAX (d≥80mm)			
WENTIROCK MAX F(d≥80mm)	0,036	A1	MW-EN 13162- T3-CS(10)0,5-WS-MU1
PANELROCK (d=30-200mm)			
PANELROCK F (d=40-200mm)			
INDUSTRIAL F50 (d=40-200mm)			
INDUSTRIAL 50 (d=30-200mm)			
INDUSTRIAL 2F80 (d=20-200mm)			
INDUSTRIAL F80 (d=20-200mm)			
INDUSTRIAL 80 (d=40-200mm)			
INDUSTRIAL 50 SOL (d=20-200mm)			
INDUSTRIAL 50 HEWALEX (d=20-200mm)			
Ventirock SUPER (d=20mm)	0,033	A1	MW-EN 13162- T5-DS(70,90)-WS-WL(P)-MU1
Ventirock SUPER (d= 30-79mm)			
Ventirock SUPER (d= 80-200mm)			
Ventirock F SUPER (d=20)	0,033	A1	MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0.70-MU1
Ventirock F SUPER (d=30-79mm)			
Ventirock F SUPER (d=80-200mm)			
INDUSTRIAL 2F100 (d=30-200mm)	0,037	A1	MW-EN 13162- T4
INDUSTRIAL F100 (d=20-200mm)			
INDUSTRIAL F120 (d=20-200mm)			
SPANROCK M	0,038	A1	MW-EN 13162-T5
SPANROCK MM (d=40-200mm)			
SPANROCK S (d=40-200mm)			
SPANROCK L (d=40-240mm)	0,040	A1	MW-EN 13162-T5
SPANROCK XL (d=40-200mm)			
RPI – 4.5 (d=25-50mm)	0,035	A1	MW-EN 13162- T3-TR1-WS-WL(P)-MU1

Notified Body 1390
 Prague, 02. 05. 2020



Ing. Petr Kučera, Ph.D.
 Deputy of Notified Body 1390