



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.  
Divize CSI – Centrum stavebního inženýrství  
Autorizovaná osoba, Oznámený subjekt, Certifikační orgán,  
Akreditované zkušební laboratoře  
Authorised Body, Notified Body, Certification Body,  
Accredited Test Laboratories  
Pražská 16, 102 00 Praha 10



**Notified Body 1390**

## CERTIFICATE OF CONSTANCY OF PERFORMANCE

**1390 – CPR – 0341/12/P**

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

***Factory made mineral wool products used for building equipment and industrial instalations, sold under the trade mark***

**ROCKTERM**

***Industrial Batts Black 60/TECHROCK 60 FB1***

***Industrial Batts Black 60Z/TECHROCK 60 FB2***

***Industrial Batts Black 80/TECHROCK 80 FB1***

*(trade marks and type codes according to list given in the annex to the certificate)*

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
**ul. Kwiatowa 14**  
**66-131 Cigalice, Poland**

and produced in the : **ROCKWOOL Polska, Sp.z o.o.**  
manufacturing plant **ul. Kwiatowa 14**  
**66-131 Cigalice, Poland (production line CIG 4)**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

**EN 14 303:2009+A1:2013**

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 08. 08. 2012 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390  
Prague, 20.01.2020



  
**Ing. Petr Kučera, CSc.**  
Deputy of Notified Body 1390



**INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a. s.**  
 Divize CSI – Centrum stavebního inženýrství  
 Autorizovaná osoba, Oznamovaný subjekt, Certifikační orgán,  
 Akreditované zkušební laboratoře  
 Authorised Body, Notified Body, Certification Body,  
 Accredited Test Laboratories  
 Pražská 16, 102 00 Praha 10



**Annex to the CERTIFICATE OF CONSTANCY OF PERFORMANCE  
 1390-CPR-0341/12/P**

The certificate covers the following products of Rockwool Polska Sp. z o.o.,  
 ul. Kwiatowa 14, 66-131 Cigacice, Poland

tab 1

Trade mark	Thermal conductivity W/m·K	Reaction to fire	Type code in accordance with EN 14 303
ROCKTERM	see tab. 2	A1	d < 50mm MW EN 14 303-T3-ST(+)250-WS1 d = 50 - 59mm MW EN 14 303-T3-ST(+)250-AW0.75-WS1 d = 60 - 99mm MW EN 14 303-T4-ST(+)250-AW0.75-WS1 d ≥ 100 mm MW EN 14 303-T4-ST(+)250-AW1.00-WS1
Industrial Batts Black 60 TECHROCK 60 FB1			d < 60mm MW EN 14 303-T3-ST(+)250-WS1 d ≥ 60 mm MW EN 14 303-T4-ST(+)250-WS1 d = 50 mm MW EN 14 303-T3-ST(+)250-AW0.90-WS1
Industrial Batts Black 60Z TECHROCK 60 FB2			d < 60mm MW EN 14 303-T3-ST(+)250-WS1 d ≥ 60 mm MW EN 14 303-T4-ST(+)250-WS1 d = 100 mm MW EN 14 303-T4-ST(+)250-AW1,00-WS1
Industrial Batts Black 80 TECHROCK 80 FB1			d < 60mm MW EN 14 303-T3-ST(+)250-WS1 d ≥ 60 mm MW EN 14 303-T4-ST(+)250-WS1 d = 20 mm MW EN 14 303-T3-ST(+)250-AW0.40-WS1

tab 2

Trade mark	$\lambda_D$ Thermal dependence of thermal conductivity W/m·K			
	10	50	150	250
ROCKTERM				
Industrial Batts Black 60 TECHROCK 60 FB1	0,036	0,041	0,062	0,093
Industrial Batts Black 60Z TECHROCK 60 FB2				
Industrial Batts Black 80 TECHROCK 80 FB1	0,035	0,039	0,054	0,076

Notified Body 1390  
 Prague, 20. 01. 2020



Ing. Petr Kučera, CSc.  
 Deputy of Notified Body 1390