

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 2440-2270:0500

Page 1 of 1

CATEGORY: 2440 -- INSULATION

LISTEE: ROCKWOOL8024 Esquesing Line, Milton, ON L9T6W3 Canada
Contact: Yuddish Manna (905) 875-5724
Email: list.cert@rockwool.com

DESIGN: ROCKWOOL COMFORTBOARD™ 80, *available in *1.25", *1.5", 2", *2.5", and *3" thick.
*COMFORTBOARD™ 80 is a rigid mineral wool non-structural sheathing insulation board, 8lbs/ft³ density.

Refer to listee's data sheet for additional detailed product description and operational considerations.

RATING: Tested in accordance with ASTM *E84

Flame Spread Index:

0

Smoke Developed Index:

*0

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, type identification, *rating, and UL label.

APPROVAL: Listed as an insulation product for wall assemblies complying with the California Title 24 Building Codes. *Refer to listee's Installation Instruction Manual for details.

*Revision 07-31-20 VWW



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2020**

Listing Expires **June 30, 2021**

Authorized By: **DAVID CASTILLO, M.E., F.P.E.**

Fire Engineering Division