

AENOR

Keymark Certificate Thermal insulation



020/003983

AENOR certifies that the organization

ROCKWOOL PENINSULAR, S.A.U.

registered office PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

supplies Mineral wool

in compliance with UNE-EN 13162:2013+A1:2015 (EN 13162:2012+A1:2015)

Trade mark Conlit 150 P

See annex for more information.

Production site PI DE CAPARROSO - CR DE ZARAGOZA KM 53,5 31380 CAPARROSO
(Navarra - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 020.09.

First issued on 2021-09-29
Validity date 2026-09-29

Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR

Keymark Certificate Thermal insulation

020/003983

Annex to Certificate

Trade mark Conlit 150 P

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,035	20	0,55	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	25	0,70	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	30	0,85	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	40	1,10	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	50	1,40	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	60	1,70	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	70	2,00	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	80	2,25	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	90	2,55	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1
0,035	100	2,85	A1	MW-EN 13162-T5-DS(70,90)-WS-WL(P)-MU1

First issued on 2021-09-29
Validity date 2026-09-29

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR272