# FirePro<sup>®</sup> Glue (Cartridges)

Revision Date: 24/04/2023 Revision No: Version 2.0 April 2023 (EU) Previous Version: Version 1.0 June 2017

#### Section 1. Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	FirePro® Glue	
	Other means of identification	UFI: M2H0-H0R2-600X-3YNX	
1.2	Relevant identified uses of the su	bstance or mixture and uses advised against	
	Relevant identified uses	Adhesive	
	Uses advised against	All uses not specified in this section or in section 7.3	
1.3	Details of the supplier of the safety data sheet	ROCKWOOL® Ltd, Pencoed, Bridgend, CF35 6NY Tel: +44 (0) 1656 862621 Email of person responsible: sds@rockwool.com	
1.4	Emergency telephone numbers	ROCKWOOL® Ltd Customer Support 9am-5pm Tel: +44 (0) 1656 862621 Email: sds@rockwool.com	

#### Section 2. Hazards identification

2.1	Classification of the substance or mixture			
	CLP Regulation (EC) No 1272/2008	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008		
2.2	Label elements			
	CLP Regulation (EC) No 1272/2008	None		
2.3	3 Other hazards Product fails to meet PBT/vPvB criteria. Endocrine-disrupting properties: The product fails to meet the			



#### Section 3. Composition/information on ingredients

3.1	Substance	Non-applicable	
3.2	Mixture		
	Chemical description	Aqueous dispersion	
	Components	None of the substances contained in the mixture are above the limits specified in Annex II of Regulation (EC) No 1907/2006	

#### Section 4. First-aid measures

4.1	Description of first aid measures	Consult a doctor in case of discomfort showing the SDS for the product
	By inhalation	In case of symptoms, move the person affected into fresh air
	By skin contact	In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,), seek medical advice with this Safety Data Sheet
	By eye contact	Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product
	By ingestion/aspiration	In case of consumption in large quantities, it is recommended to seek medical assistance
4.2	Most important symptoms and effects, both acute and delayed	Acute and delayed effects are indicated in sections 2 and 11
4.3	Indication of any immediate medical attention and special treatment needed	Non-applicable



Section 5. Firefighting measures			
5.1	Extinguishing media		
Suitable extinguishing media		Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,)	
	Unsuitable extinguishing media	Non-applicable	
5.2	Special hazards arising from the substance or mixture	Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use	
5.3	Advice for firefighters		
	Advice for firefighters	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,) in accordance with Directive 89/654/EC	
	Additional provisions	Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium	



### Section 6. Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures			
	For non-emergency personnel	Isolate leaks provided that there is no additional risk for the people performing this task		
	For emergency responders	Wear protective equipment. Keep unprotected persons away. See section 8		
6.2	<b>Environmental precautions</b> This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water			
6.3	Methods and material for containment and cleaning up			
	It is recommended Absorb the spillage using sand or inert absorbent and move in place. Do not absorb in sawdust or other combustible absorb For any concern related to disposal consult section 13			
6.4	Reference to other sections See sections 8 and 13			

## Section 7. Handling and storage

7.1	Precautions for safe handling		
	General precautions for safe use	Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6)	
	Technical recommendations for the prevention of fires and explosions	It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided	
	Technical recommendations on general occupational hygiene	Do not eat or drink during the process, washing hands afterwards with suitable cleaning products	
	Technical recommendations to prevent environmental risks	It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2	
7.2	Conditions for safe storage, including any incompatibilities		
	Technical measures for storage	Store in a cool, dry, well-ventilated location	
	General conditions for storage	Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5	
7.3	7.3 Specific end use(s) Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this		



#### Section 8. Exposure controls / personal protection

8.1	Control parameters				
	Substances whose occupational exposure limits have to be	There are no applicable occupational exposure limits for the substances contained in the product			
	monitored in the workplace (European OEL, not country-	National Occupational Exposure Limit Values – Ireland			
	specific legislation)	Kaolin (respirable dust) – CAS Number 1332-58-7 – Occupational Exposure Limit Value (8-hour reference period) – 2 mg/m³ Regulatory reference: Chemical Agents Code of Practice 2021			
	DNEL (Workers)	Non-applicable			
	DNEL (General population)	Non-applicable			
	PNEC	Non-applicable			
8.2	Exposure controls				
	Individual protection measures, such as personal protective equipment	As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding < <ce marking="">&gt; in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal</ce>			
	Respiratory protection	The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded			
	Specific protection for the hands	As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application			
Mandatory hand protection					
Pictog	Pictogram PPE Labelling Remarks				
		Declare also in second formation of d			





	Eye and face protection			
Mandatory face protection				
Pictogra	m PPE	Labelling	CEN Standard	Remarks
	Panoramic glasses against splash/projections			Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing
	Body protection			
Mandat	ory body protection			
Pictogra	m PPE	Labelling	CEN Standard	Remarks
*	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994
	Anti-slip work shoes		EN ISO 20347:201	2 Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007
	Additional emergency measures	lt is	s not necessary to take ad	ditional emergency measures
Environmental exposure controls		env	vironment it is recommend product and its contained	nunity legislation for the protection of the ded to avoid environmental spillage of both r. For additional information see subsection
	Volatile organic compoun		th regard to Directive 201 aracteristics:	0/75/EU, this product has the following
		V.C	D.C. (Supply):	0% weight
		V.C	0.C. density at 20 °C:	0 kg/m³ (0 g/L)
		Ave	erage carbon number:	Non-applicable
		Ave	erage molecular weight:	Non-applicable



Secti	Section 9. Physical and chemical properties				
9.1	Information on basic physical and chemical properties				
	Appearance				
	Physical state at 20°C	Liquid			
	Appearance	Paste			
	Colour	Beige			
	Odour	Odourless			
	Odour threshold	Non-applicable*			
	Volatility				
	Boiling point at atmospheric pressure	100°C			
	Vapour pressure at 20°C	2350 Pa			
	Vapour pressure at 50°C	12381.01 Pa (12.38 kPa)			
	Evaporation rate at 20°C	Non-applicable*			
	Product description				
	Density at 20°C	Non-applicable*			
	Relative density at 20°C	~1.736			
	Dynamic viscosity at 20°C	3200000 - 3600000 cP			
	Kinematic viscosity at 20°C	>20.5 mm²/s			
	Kinematic viscosity at 40°C	>20.5 mm <sup>2</sup> /s			
	Concentration	Non-applicable*			
	рН	Non-applicable*			
	Vapour pressure at 20°C	Non-applicable*			
	Partition coefficient n-octanol/water 20°C	Non-applicable*			
	Solubility in water at 20°C	Non-applicable*			
	Solubility properties	Non-applicable*			
	Decomposition temperature	Non-applicable*			
	Melting point/freezing point:	Non-applicable*			
	Flammability				
	Flash Point	Non Flammable (>60°C)			
	Flammability (solid, gas)	Non-applicable*			
	Autoignition temperature	Non-applicable*			
	Lower flammability limit	Non-applicable*			
	Upper flammability limit	Non-applicable*			
	Particle characteristics				
	Median equivalent diameter	Non-applicable			

\*Not relevant due to the nature of the product, not providing information property of its hazards



9.2	Other information			
	Information with regard to physical hazard classes			
	Explosive properties	Non-applicable*		
	Oxidising properties	Non-applicable*		
	Corrosive to metals	Non-applicable*		
	Heat of combustion	Non-applicable*		
	Aerosols-total percentage (by mass) of flammable components	Non-applicable*		
	Other safety characteristics			
	Surface tension at 20°C	Non-applicable*		
	Refraction index	Non-applicable*		

\*Not relevant due to the nature of the product, not providing information property of its hazards

Section 10. Stability and reactivity					
10.1	10.1 Reactivity		No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7		
10.2	10.2 Chemical stability		Chemically stable under the indicated conditions of storage, handling and use		
10.3	10.3 Possibility of hazardous reactions		Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected		
10.4	Conditions to	o avoid	Applicable for handling a	nd storage at room tem	nperature
Shock and frie	ction	Contact with air	Increase in temperature	Sunlight	Humidity
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible	materials			
Acids Water		Oxidising materials	Combustible materials	Others	
Avoid strong acids Not applicable		Not applicable	Not applicable	Avoid alkalis or strong bases	
<b>10.6</b> Hazardous decomposition products See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex min of chemical substances can be released: carbon dioxide (CO <sub>2</sub> ), carbon monoxide and other organic compounds			ditions, complex mixtures		



#### Section 11. Toxicological information

11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008	LD50 oral > 2000 mg/kg (rat)	
	Dangerous health implications	In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure	
	Ingestion (acute effect)		
	Acute toxicity	Based on available data, the classification criteria are not met	
	Corrosivity/Irritability	Based on available data, the classification criteria are not met	
	Inhalation (acute effect)		
	Acute toxicity	Based on available data, the classification criteria are not met	
	Corrosivity/Irritability	Based on available data, the classification criteria are not met	
	Contact with the skin and the eyes (acute effect)		
	Contact with the skin	Based on available data, the classification criteria are not met	
	Contact with the eyes	Based on available data, the classification criteria are not met	
	CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction)		
	Carcinogenicity	Based on available data, the classification criteria are not met	
	IARC	Non-applicable	
	Mutagenicity	Based on available data, the classification criteria are not met	
	Reproductive toxicity	Based on available data, the classification criteria are not met	
	Sensitizing effects		
	Respiratory	Based on available data, the classification criteria are not met	
	Skin	Based on available data, the classification criteria are not met	
	Specific target organ toxicity (STOT) - single exposure		
	Single exposure	Based on available data, the classification criteria are not met	
	Specific target organ toxicity (STOT) - repeated exposure		
	Repeated exposure	Based on available data, the classification criteria are not met	
	Skin	Based on available data, the classification criteria are not met	
	Aspiration hazard	Based on available data, the classification criteria are not met	
	Other information	Non applicable	
	Specific toxicology information	Non-applicable Not available	
	on the substances		



11.2	Information on other hazards	
	Endocrine disrupting properties	The product fails to meet the criteria
	Other information	Non-applicable

#### Section 12. Ecological information

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Product fails to meet PBT/vPvB criteria
12.6	Endocrine disrupting properties	The product fails to meet the criteria
12.7	Other adverse effects	Not described

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods

Code	Description		Waste class (Regulation (EU) No 1357/2014)
08 04 10	Waste adhesives and sealan mentioned in 08 04 09	ts other than those	Non dangerous
	pe of waste (Regulation (EU) 1357/2014)	Non-applicable	
	aste management sposal and evaluation)	and disposal op 2 (Directive 200 988). As under 1 container has be processed the s be processed as	norized waste service manager on the assessment erations in accordance with Annex 1 and Annex 8/98/EC, The Waste Regulations 2011, 2011 No. 5 01 (2014/955/EU) of the code and in case the een in direct contact with the product, it will be ame way as the actual product. Otherwise, it will an on-dangerous residue. Waste should not be drains. See paragraph 6.2
	gulations related to ste management	(REACH) the cor management ar	ith Annex II of Regulation (EC) No 1907/2006 mmunity or state provisions related to waste e stated Community legislation: Directive 14/955/EU, Regulation (EU) No 1357/2014

# 

#### Section 14. Transport information

This product is not regulated for transport (ADR/RID,IMDG,IATA)

#### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH)	Non-applicable
Substances included in Annex XIV of REACH ("Authorisation List") and sunset date	Non-applicable
Regulation (EC) No 1005/2009, about substances that deplete the ozone layer	Non-applicable
Article 95, REGULATION (EU) No 528/2012	Non-applicable
REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products	Non-applicable



	Seveso III:	Non-applicable
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc)	Non-applicable
	Specific provisions in terms of protecting people or the environment	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product
	Other legislation	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No. 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits The Waste Regulations 2011, 2011 No. 988
15.2	Chemical safety assessment	The supplier has not carried out evaluation of chemical safety

#### Important note:

- This EU SDS is one of three SDSs for the named product separate SDSs are provided to meet the regulatory requirements specific to GB, NI and EU;
- The content of this SDS may differ from that of the other SDSs, due to the different regulatory frameworks applicable to GB, NI and EU; and
- The user should refer to the SDS appropriate to the territory they are operating in.



Section 16. Other information		
Legislation related to safety data sheets	This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)	
Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks	Non-applicable	
Texts of the legislative phrases mentioned in section 3	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3	
CLP Regulation (EC) No 1272/2008	Non-applicable	
Classification procedure	Non-applicable	
Advice related to training	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and	

interpretation of this safety data sheet, as well as the label on the

Principal bibliographical sources http://echa.europa.eu http://eur-lex.europa.eu

product

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration factor
BOD5	5day biochemical oxygen demand
COD	Chemical Oxygen Demand
EC50	Effective concentration 50
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organisation
IMDG	International Maritime Dangerous Goods
LC50	Lethal Concentration 50
LD50	Lethal Dose 50
LogPOW	Octanolwater partition coefficient
Кос	Partition coefficient of organic carbon
UFI	Unique Formula Identifier

#### Abbreviations and acronyms



#### Legal disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE. USERS SHOULD CHECK FOR AND OBTAIN THE LATEST RELEVANT INFORMATION AND VERIFY SUCH INFORMATION IS CURRENT AND COMPLETE BEFORE PLACING ORDERS FOR ROCKWOOL LIMITED'S PRODUCTS.

This legal disclaimer applies to purchasers and users of ROCKWOOL Limited's products manufactured by or on behalf of ROCKWOOL Limited and its affiliates.

ROCKWOOL Limited, its affiliates, its agents and employees and all persons acting on its or their behalf (collectively "ROCKWOOL"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Usage of the information remains under the sole responsibility of the purchaser and/or user.

ROCKWOOL makes no warranty, representation or guarantee regarding the information contained in the data sheet, the suitability of the products for any particular purposes or the continuing production of any product. To the maximum extent permitted by applicable law, ROCKWOOL disclaims (i) any and all liability arising out of the application, use of any product, misuse or inability to use the product (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information contained in this data sheet is up-to-date as at the date of issue. As ROCKWOOL Limited cannot control or anticipate the conditions under which this product may be used, each user should review the information in specific context of the planned use. To the maximum extent permitted by law, ROCKWOOL Limited will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. To the maximum extent permitted by law, ROCKWOOL shall not be liable for any damage resulting from handling the products or from contact with the products.

No express or implied warranties are given other than those implied by law.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of ROCKWOOL. Product names and markings noted herein may be trademarks of their respective owners.

